	Туре	Hits	Search Text		
1	BRS	2842338	comb or actuator or carriage or e adj block or swing adj arm or vcm or ((voice or drive or driving) adj2 coil) or ((oscillat\$4 or linear) adj2 motor) or magnetic adj "2" circuit or coil\$1 near3 bobbin or (magnet\$1 near6 yoke\$1) or ((oscillat\$4 or magnetic) adj2 rotor) or ((electro adj magnet\$3 or electromagnet\$3) adj2 (drive or driving)) or g11b021/02.ipc.		
2	BRS	107515	yoke\$1 or (magnetic near2 circuit) or ((ferro adj magnetic or ferromagnetic) near2 plate\$1)		
3	BRS	617437	((E or C or arc) near2 shap\$5) or fork\$3 or prong\$1 or cantilever\$3 or bend\$3 or bent		
4	BRS	1622	(coil near3 (axis or axes)) near5 (orthogonal\$4 or normal or perpendicular\$4 or vertical\$4 or horizontal\$4 or orientat\$6)		
5	BRS	362	S1 and S4		
6	BRS	14143	(coil\$1) near3 (orthogonal\$4 or normal or perpendicular\$4 or vertical\$4 or horizontal\$4 or orientat\$6)		
7	BRS	4439	S1 and S6		
8	BRS	4184	S7 not S5		
9	BRS	0	g11b/\$ipc.		
10	BRS	0	g11b\$/ipc.		
11	BRS	225	g11b\$/.ipc.		
12	BRS	620884	g11b\$.ipc.		
13	BRS	288	S8 and S12		

	DBs	Time Stamp	Comments	Error Definition
1	EPO; JPO; DERWENT	2006/05/19 12:04		
2	EPO; JPO; DERWENT	2006/05/19 12:06		
3	EPO; JPO; DERWENT	2006/05/19 12:56		
4	EPO; JPO; DERWENT	2006/05/19 12:20		
5	EPO; JPO; DERWENT	2006/05/19 12:10		
6	EPO; JPO; DERWENT	2006/05/19 12:56		
7	EPO; JPO; DERWENT	2006/05/19 12:20		
8	EPO; JPO; DERWENT	2006/05/19 12:20		
9	EPO; JPO; DERWENT	2006/05/19 12:21		
10	EPO; JPO; DERWENT	2006/05/19 12:21		
11	EPO; JPO; DERWENT	2006/05/19 12:21		
12	EPO; JPO; DERWENT	2006/05/19 12:21		
13	EPO; JPO; DERWENT	2006/05/19 12:21		

	Errors	Ref#
1		<b>S1</b>
2		<b>\$2</b>
3		<b>S</b> 3
4		<b>S</b> 4
5		<b>S</b> 5
6		<b>S</b> 6
7		<b>S7</b>
8		<b>S8</b>
9		<b>S9</b>
10		<b>S10</b>
11		S11
12		S12
13		S13

	Туре	Hits	Search Text
14	BRS	66	(coil\$1) near3 (orthogonal\$4 or normal or perpendicular\$4 or vertical\$4 or horizontal\$4 or orientat\$6)
15	BRS	2634	S1 and S2 and S3
16	BRS	341	S12 and S15
17	BRS	40113	g11b021/\$.ipc.
18	BRS	87	S16 and S17
19	BRS	831782	((E or C or arc) near2 shap\$5) or fork\$3 or prong\$1 or cantilever\$3 or bend\$3 or bent
20	BRS	22955	(coil\$1) near3 (orthogonal\$4 or normal or perpendicular\$4 or vertical\$4 or horizontal\$4 or orientat\$6)
21	BRS	20197	VCM or (voice adj coil)
22	BRS	847348	S19 or S20
23	BRS	5708	S21 and S22
24	BRS	46813	"360"/\$.ccls.
25	BRS	2556	S23 and S24
26	BRS	24514	(((E or C or arc) near2 shap\$5) with (yoke\$1 or core\$1)) or ((yoke\$1 or core\$1) with (fork\$3 or prong\$1 or cantilever\$3 or bend\$3 or bent))
27	BRS	46363	S20 or S26
28	BRS	1146	S21 and S27
29	BRS	380	S24 and S28
30	BRS	345	@ad<="20031125" and S29

	DBs	Time Stamp	Comments	Error Definition
14	IBM_TDB	2006/05/19 12:38		
15	EPO; JPO; DERWENT	2006/05/19 12:40		
16	EPO; JPO; DERWENT	2006/05/19 12:40		
17	EPO; JPO; DERWENT	2006/05/19 12:41		
18	EPO; JPO; DERWENT	2006/05/19 12:41		
19	US-PGPUB; USPAT	2006/05/19 12:58		3
20	US-PGPUB; USPAT	2006/05/19 12:56		
21	US-PGPUB; USPAT	2006/05/19 12:57		
22	US-PGPUB; USPAT	2006/05/19 12:57		
23	US-PGPUB; USPAT	2006/05/19 12:57		
24	US-PGPUB; USPAT	2006/05/19 12:57		
25	US-PGPUB; USPAT	2006/05/19 12:57		
26	US-PGPUB; USPAT	2006/05/19 13:23		
27	US-PGPUB; USPAT	2006/05/19 13:23		•
28	US-PGPUB; USPAT	2006/05/19 13:23		
29	US-PGPUB; USPAT	2006/05/19 13:23		
30	US-PGPUB; USPAT	2006/05/19 18:28		-

	1	
	Errors	Ref #
14		<b>S14</b>
15	4.0	<b>S15</b>
16		<b>S16</b>
17		<b>S17</b>
18		S18
19		<b>S19</b>
20		S20
21		S21
22		<b>S22</b>
23		<b>S23</b>
24		<b>S24</b>
25		<b>S25</b>
26		<b>S26</b>
27		<b>S27</b>
28		<b>S28</b>
29		<b>S29</b>
30		<b>S30</b>